

|  |   |
|--|---|
| <b>Peru Manu and Machu Picchu potential bird list</b>    |   |
| <b>includes extension to Machu Picchu and coast (E)</b>  |   |
|  |   |
| 1 = 75% or greater chance of seeing on tour.             |   |
| 2 = 50% chance of seeing on tour.                        |   |
| 3 = 25% or less chance of seeing on tour                 |   |
|  |   |
|  |   |
| <b>TINAMIDAE (TINAMOUS)</b>                              |   |
| Gray Tinamou <i>Tinamus tao</i>                          | 3 |
| Great Tinamou <i>Tinamus major</i>                       | 1 |
| White-throated Tinamou <i>Tinamus guttatus</i>           | 2 |
| Hooded Tinamou <i>Nothocercus nigrocapillus</i>          | 3 |
| Cinereous Tinamou <i>Crypturellus cinereus</i>           | 1 |
| Little Tinamou <i>Crypturellus soui</i>                  | 1 |
| Brown Tinamou <i>Crypturellus obsoletus</i>              | 2 |
| Undulated Tinamou <i>Crypturellus undulatus</i>          | 1 |
| Brazilian Tinamou <i>Crypturellus strigulosus</i>        | 3 |
| Black-capped Tinamou <i>Crypturellus atrocapillus</i>    | 1 |
| Variegated Tinamou <i>Crypturellus variegatus</i>        | 2 |
| Bartlett's Tinamou <i>Crypturellus bartletti</i>         | 1 |
| Andean Tinamou <i>Nothoprocta pentlandii</i>             | 3 |
|  |   |
| <b>ANHIMIDAE (SCREAMERS)</b>                             |   |
| Horned Screamer <i>Anhima cornuta</i>                    | 1 |
|  |   |
| <b>ANATIDAE (DUCKS)</b>                                  |   |
| Orinoco Goose <i>Neochen jubata</i>                      | 1 |
| Muscovy Duck <i>Cairina moschata</i>                     | 1 |
| Torrent Duck <i>Merganetta armata</i>                    | 1 |
| "Andean" Speckled Teal <i>Anas flavirostris andium</i>   | 1 |
| Yellow-billed Pintail <i>Anas georgica</i>               | 1 |
| White-cheeked Pintail <i>Anas bahamensis</i>             | 1 |
| Puna Teal <i>Anas puna</i>                               | 1 |
| Cinnamon Teal <i>Anas cyanoptera</i>                     | 1 |
| "Andean" Ruddy Duck <i>Oxyura jamaicensis ferruginea</i> | 1 |
|  |   |
| <b>CRACIDAE (GUANS)</b>                                  |   |
| Speckled Chachalaca <i>Ortalis guttata</i>               | 1 |
| Andean Guan <i>Penelope montagnii</i>                    | 1 |
| Spix's Guan <i>Penelope jacquacu</i>                     | 1 |
| Blue-throated Piping-Guan <i>Pipile cumanensis</i>       | 1 |
| Wattled Guan <i>Aburria aburri</i>                       | 2 |
| Razor-billed Curassow <i>Mitu tuberosum</i>              | 1 |
|  |   |
|  |   |
| <b>ODONTOPHORIDAE (NEW WORLD QUAILS)</b>                 |   |
| Rufous-breasted Wood-Quail <i>Odontophorus speciosus</i> | 3 |
|  |   |

|   |   |
|---|---|
| <b>PODICIPEDIDAE (GREBES)</b>                                 |   |
| White-tufted Grebe <i>Rollandia rolland</i>                   | 1 |
| Least Grebe <i>Tachybaptus dominicus</i>                      | 1 |
| Pied-billed Grebe <i>Podilymbus podiceps</i>                  | 1 |
| Great Grebe <i>Podiceps major</i>                             | 1 |
| <b>SPHENISCIDAE (PENGUINS)</b>                                |   |
| Humboldt Penguin <i>Spheniscus humboldti</i>                  | 2 |
| <b>PELECANIDAE (PELICANS)</b>                                 |   |
| "Peruvian" Brown Pelican <i>Pelecanus occidentalis thagus</i> | 1 |
| <b>HYDROBATIDAE (STORM-PETRELS)</b>                           |   |
| Elliot's Storm-Petrel <i>Oceanites gracilis</i>               | 3 |
| <b>SULIDAE (BOOBIES)</b>                                      |   |
| Blue-footed Booby <i>Sula nebouxii</i>                        | 3 |
| Peruvian Booby <i>Sula variegata</i>                          | 1 |
| <b>PHALACROCORACIDAE (CORMORANTS)</b>                         |   |
| Neotropic Cormorant <i>Phalacrocorax brasilianus</i>          | 1 |
| Red-legged Cormorant <i>Phalacrocorax gaimardi</i>            | 1 |
| Guanay Cormorant <i>Phalacrocorax bougainvillii</i>           | 1 |
| <b>ANHINGIDAE (ANHINGAS)</b>                                  |   |
| Anhinga <i>Anhinga anhinga</i>                                | 1 |
| <b>ARDEIDAE (HERONS)</b>                                      |   |
| Rufescent Tiger-Heron <i>Tigrisoma lineatum</i>               | 1 |
| Fasciated Tiger-Heron <i>Tigrisoma fasciatum</i>              | 1 |
| Boat-billed Heron <i>Cochlearius cochlearius</i>              | 1 |
| Least Bittern <i>Ixobrychus exilis</i>                        | 3 |
| Black-crowned Night-Heron <i>Nycticorax nycticorax</i>        | 1 |
| <b>AGAMIDAE (AGAMIS)</b>                                      |   |
| Agami Heron <i>Agamia agami</i>                               | 2 |
| Striated Heron <i>Butorides striata</i>                       | 1 |
| Cattle Egret <i>Bubulcus ibis</i>                             | 1 |
| Cocoi Heron <i>Ardea cocoi</i>                                | 1 |
| Great Egret <i>Ardea alba</i>                                 | 1 |
| Capped Heron <i>Pilherodius pileatus</i>                      | 1 |
| Snowy Egret <i>Egretta thula</i>                              | 1 |
| Little Blue Heron <i>Egretta caerulea</i>                     | 1 |
| <b>THRESKIORNITHIDAE (IBISES)</b>                             |   |
| Puna Ibis <i>Plegadis ridgwayi</i>                            | 1 |
| Andean Ibis <i>Theristicus branickii</i>                      | 2 |
| Green Ibis <i>Mesembrinibis cayennensis</i>                   | 1 |
| Roseate Spoonbill <i>Platalea ajaja</i>                       | 1 |

|  |   |
|--|---|
|  |   |
| <b>CICONIIDAE (STORKS)</b>   |   |
| <b>Jabiru</b> <i>Jabiru mycteria</i>                               | 1 |
| <b>Wood Stork</b> <i>Mycteria americana</i>                        | 1 |
|  |   |
| <b>CATHARTIDAE (NEW WORLD VULTURES)</b>                            |   |
| <b>Turkey Vulture</b> <i>Cathartes aura</i>                        | 1 |
| <b>Greater Yellow-headed Vulture</b> <i>Cathartes melambrotus</i>  | 1 |
| <b>Black Vulture</b> <i>Coragyps atratus</i>                       | 1 |
| <b>King Vulture</b> <i>Sarcoramphus papa</i>                       | 1 |
| <b>Andean Condor</b> <i>Vultur gryphus</i>                         | 3 |
|  |   |
| <b>PANDIONIDAE (OSPREY)</b>  |   |
| <b>Osprey</b> <i>Pandion haliaetus</i>                             | 1 |
|  |   |
| <b>ACCIPITRIDAE (HAWKS)</b>  |   |
| <b>Gray-headed Kite</b> <i>Leptodon cayanensis</i>                 | 1 |
| <b>Hook-billed Kite</b> <i>Chondrohierax uncinatus</i>             | 3 |
| <b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>             | 1 |
| <b>White-tailed Kite</b> <i>Elanus leucurus</i>                    | 1 |
| <b>Snail Kite</b> <i>Rostrhamus sociabilis</i>                     | 1 |
| <b>Slender-billed Kite</b> <i>Rostrhamus hamatus</i>               | 1 |
|  |   |
|  |   |
| <b>Double-toothed Kite</b> <i>Harpagus bidentatus</i>              | 1 |
| <b>Plumbeous Kite</b> <i>Ictinia plumbea</i>                       | 1 |
| <b>Tiny Hawk</b> <i>Accipiter superciliosus</i>                    | 3 |
| <b>Semicollared Hawk</b> <i>Accipiter collaris</i>                 | 3 |
| <b>Cinereous Harrier</b> <i>Circus cinereus</i>                    | 2 |
| <b>Crane Hawk</b> <i>Geranospiza caerulescens</i>                  | 1 |
| <b>Slate-colored Hawk</b> <i>Leucopternis schistaceus</i>          | 1 |
| <b>Gray Hawk</b> <i>Asturina nitida</i>                            | 2 |
| <b>Great Black Hawk</b> <i>Buteogallus urubitinga</i>              | 1 |
| <b>Solitary Eagle</b> <i>Harpyhaliaetus solitarius</i>             | 2 |
| <b>Black-collared Hawk</b> <i>Busarellus nigricollis</i>           | 1 |
| <b>Black-chested Buzzard-Eagle</b> <i>Geranoaetus melanoleucus</i> | 2 |
| <b>Roadside Hawk</b> <i>Buteo magnirostris</i>                     | 1 |
| <b>Broad-winged Hawk</b> <i>Buteo platypterus</i>                  | 3 |
| <b>White-rumped Hawk</b> <i>Buteo leucorrhous</i>                  | 3 |
| <b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>                   | 1 |
| <b>Red-backed Hawk</b> <i>Buteo polyosoma</i>                      | 3 |
| <b>Puna Hawk</b> <i>Buteo poecilochrous</i>                        | 1 |
| <b>Zone-tailed Hawk</b> <i>Buteo albonotatus</i>                   | 2 |
| <b>Black-and-white Hawk-Eagle</b> <i>Spizastur melanoleucus</i>    | 1 |
| <b>Black Hawk-Eagle</b> <i>Spizaetus tyrannus</i>                  | 2 |
| <b>Ornate Hawk-Eagle</b> <i>Spizaetus ornatus</i>                  | 2 |
| <b>Black-and-chestnut Eagle</b> <i>Oroaetus isidori</i>            | 2 |
|  |   |
| <b>FALCONIDAE (FALCONS)</b>  |   |

|  |   |
|--|---|
| <b>Black Caracara</b> <i>Daptrius ater</i>                   | 1 |
| <b>Red-throated Caracara</b> <i>Ibycter americanus</i>       | 1 |
| <b>Mountain Caracara</b> <i>Phalcoboenus megalopterus</i>    | 1 |
| <b>Laughing Falcon</b> <i>Herpetotheres cachinnans</i>       | 1 |
| <b>Barred Forest-Falcon</b> <i>Micrastur ruficollis</i>      | 2 |
| <b>Collared Forest-Falcon</b> <i>Micrastur semitorquatus</i> | 2 |
| <b>American Kestrel</b> <i>Falco sparverius</i>              | 1 |
| <b>Bat Falcon</b> <i>Falco ruficularis</i>                   | 1 |
| <b>Aplomado Falcon</b> <i>Falco femoralis</i>                | 2 |
| <b>Peregrine Falcon</b> <i>Falco peregrinus</i>              | 3 |
|  |   |
|  |   |
| <b>ARAMIDAE (LIMPKIN)</b>                                    |   |
| <b>Limpkin</b> <i>Aramus guarauna</i>                        | 1 |
|  |   |
| <b>PSOPHIIDAE (TRUMPETERS)</b>                               |   |
| <b>Pale-winged Trumpeter</b> <i>Psophia leucoptera</i>       | 1 |
|  |   |
| <b>RALLIDAE (RAILS)</b>                                      |   |
| <b>Gray-necked Wood-Rail</b> <i>Aramides cajanea</i>         | 1 |
| <b>Uniform Crane</b> <i>Amaurolimnas concolor</i>            | 3 |
| <b>Rufous-sided Crane</b> <i>Laterallus melanophaius</i>     | 2 |
| <b>Gray-breasted Crane</b> <i>Laterallus exilis</i>          | 3 |
| <b>Blackish Rail</b> <i>Pardirallus nigricans</i>            | 2 |
| <b>Plumbeous Rail</b> <i>Pardirallus sanguinolentus</i>      | 1 |
| <b>Common Moorhen</b> <i>Gallinula chloropus</i>             | 1 |
| <b>Purple Gallinule</b> <i>Porphyrio martinica</i>           | 1 |
| <b>Slate-colored Coot</b> <i>Fulica ardesiaca</i>            | 1 |
|  |   |
| <b>HELIORNITHIDAE (FINFOOTS)</b>                             |   |
| <b>Sungrebe</b> <i>Heliornis fulica</i>                      | 1 |
|  |   |
| <b>EURYPYGIDAE (SUNBITTERN)</b>                              |   |
| <b>Sunbittern</b> <i>Eurypyga helias</i>                     | 1 |
|  |   |
| <b>CHARADRIIDAE (PLOVERS)</b>                                |   |
| <b>Pied Lapwing</b> <i>Vanellus cayanus</i>                  | 1 |
| <b>Andean Lapwing</b> <i>Vanellus resplendens</i>            | 1 |
| <b>American Golden-Plover</b> <i>Pluvialis dominica</i>      | 3 |
| <b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>      | 2 |
| <b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>    | 2 |
| <b>Killdeer</b> <i>Charadrius vociferus</i>                  | 1 |
| <b>Snowy Plover</b> <i>Charadrius alexandrinus</i>           | 2 |
| <b>Collared Plover</b> <i>Charadrius collaris</i>            | 1 |
| <b>Tawny-throated Dotterel</b> <i>Oreopholus ruficollis</i>  | 3 |
|  |   |
| <b>HAEMATOPODIDAE (OYSTERCATCHERS)</b>                       |   |
| <b>American Oystercatcher</b> <i>Haematopus palliatus</i>    | 2 |

|   |   |
|---|---|
|   |   |
| <b>Blackish Oystercatcher</b> <i>Haematopus ater</i>              | 1 |
|   |   |
| <b>RECURVIROSTRIDAE (STILTS AND AVOCETS)</b>                      |   |
| <b>"White-backed" Stilt</b> <i>Himantopus mexicanus melanurus</i> | 1 |
|   |   |
| <b>BURHINIDAE (THICK-KNEES)</b>                                   |   |
| <b>Peruvian Thick-knee</b> <i>Burhinus superciliaris</i>          | 1 |
|   |   |
| <b>SCOLOPACIDAE (SANDPIPERS)</b>                                  |   |
| <b>Andean Snipe</b> <i>Gallinago jamesoni</i>                     | 2 |
| <b>Whimbrel</b> <i>Numenius phaeopus</i>                          | 1 |
| <b>Upland Sandpiper</b> <i>Bartramia longicauda</i>               | 3 |
| <b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>               | 1 |
| <b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>                   | 1 |
| <b>Solitary Sandpiper</b> <i>Tringa solitaria</i>                 | 1 |
| <b>Spotted Sandpiper</b> <i>Actitis macularius</i>                | 1 |
| <b>Ruddy Turnstone</b> <i>Arenaria interpres</i>                  | 1 |
| <b>Sanderling</b> <i>Calidris alba</i>                            | 2 |
| <b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>             | 2 |
| <b>Western Sandpiper</b> <i>Calidris mauri</i>                    | 2 |
| <b>Least Sandpiper</b> <i>Calidris minutilla</i>                  | 1 |
| <b>Baird's Sandpiper</b> <i>Calidris bairdii</i>                  | 2 |
| <b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>               | 2 |
| <b>Stilt Sandpiper</b> <i>Calidris himantopus</i>                 | 3 |
| <b>Buff-breasted Sandpiper</b> <i>Tryngites subruficollis</i>     | 3 |
| <b>Wilson's Phalarope</b> <i>Phalaropus tricolor</i>              | 2 |
| <b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i>             | 2 |
| <b>Red Phalarope</b> <i>Phalaropus fulicarius</i>                 | 3 |
|   |   |
| <b>JACANIDAE (JACANAS)</b>  |   |
| <b>Wattled Jacana</b> <i>Jacana jacana</i>                        | 1 |
|   |   |
| <b>LARIDAE (GULLS)</b>  |   |
| <b>Belcher's Gull</b> <i>Larus belcheri</i>                       | 1 |
| <b>Gray Gull</b> <i>Larus modestus</i>                            | 1 |
| <b>Kelp Gull</b> <i>Larus dominicanus</i>                         | 1 |
|   |   |
|   |   |
| <b>Gray-hooded Gull</b> <i>Larus cirrocephalus</i>                | 1 |
| <b>Andean Gull</b> <i>Larus serranus</i>                          | 1 |
| <b>Laughing Gull</b> <i>Larus atricilla</i>                       | 2 |
| <b>Franklin's Gull</b> <i>Larus pipixcan</i>                      | 3 |
| <b>Yellow-billed Tern</b> <i>Sternula superciliaris</i>           | 1 |
| <b>Peruvian Tern</b> <i>Sternula lorata</i>                       | 1 |
| <b>Large-billed Tern</b> <i>Phaetusa simplex</i>                  | 1 |
| <b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>              | 3 |
| <b>Inca Tern</b> <i>Larosterna inca</i>                           | 1 |

|  |   |
|--|---|
| <b>Common Tern</b> <i>Sterna hirundo</i>                             | 3 |
| <b>Elegant Tern</b> <i>Thalasseus elegans</i>                        | 2 |
|  |   |
| <b>RYNCHOPIDAE (SKIMMERS)</b>  |   |
| <b>Black Skimmer</b> <i>Rynchops niger</i>                           | 1 |
|  |   |
| <b>COLUMBIDAE (PIGEONS)</b>  |   |
| <b>Ruddy Ground-Dove</b> <i>Columbina talpacoti</i>                  | 1 |
| <b>Croaking Ground-Dove</b> <i>Columbina cruziana</i>                | 1 |
| <b>Bare-faced Ground-Dove</b> <i>Metriopelia ceciliae</i>            | 1 |
| <b>Spot-winged Pigeon</b> <i>Patagioenas maculosa</i>                | 1 |
| <b>Band-tailed Pigeon</b> <i>Patagioenas fasciata</i>                | 1 |
| <b>Pale-vented Pigeon</b> <i>Patagioenas cayennensis</i>             | 1 |
| <b>Plumbeous Pigeon</b> <i>Patagioenas plumbea</i>                   | 1 |
| <b>Ruddy Pigeon</b> <i>Patagioenas subvinacea</i>                    | 1 |
| <b>West Peruvian Dove</b> <i>Zenaida meloda</i>                      | 1 |
| <b>Eared Dove</b> <i>Zenaida auriculata</i>                          | 1 |
| <b>White-tipped Dove</b> <i>Leptotila verreauxi</i>                  | 1 |
| <b>Gray-fronted Dove</b> <i>Leptotila rufaxilla</i>                  | 1 |
| <b>White-throated Quail-Dove</b> <i>Geotrygon frenata</i>            | 2 |
| <b>Ruddy Quail-Dove</b> <i>Geotrygon montana</i>                     | 2 |
|  |   |
| <b>PSITTACIDAE (PARROTS)</b>   |   |
| <b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>                     | 1 |
| <b>Military Macaw</b> <i>Ara militaris</i>                           | 2 |
| <b>Scarlet Macaw</b> <i>Ara macao</i>                                | 1 |
| <b>Red-and-green Macaw</b> <i>Ara chloropterus</i>                   | 1 |
|  |   |
|  |   |
| <b>Chestnut-fronted Macaw</b> <i>Ara severus</i>                     | 1 |
| <b>Red-bellied Macaw</b> <i>Orthopsittaca manilata</i>               | 1 |
| <b>Blue-headed Macaw</b> <i>Primolius couloni</i>                    | 2 |
| <b>Mitred Parakeet</b> <i>Aratinga mitrata</i>                       | 1 |
| <b>White-eyed Parakeet</b> <i>Aratinga leucophthalma</i>             | 1 |
| <b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>               | 1 |
| <b>"Red-crowned" Painted P'keet</b> <i>Pyrrhura picta roseifrons</i> | 1 |
| <b>Black-capped Parakeet</b> <i>Pyrrhura rupicola</i>                | 2 |
| <b>Barred Parakeet</b> <i>Bolborhynchus lineola</i>                  | 3 |
| <b>Andean Parakeet</b> <i>Bolborhynchus orbygnesi</i>                | 3 |
| <b>Dusky-billed Parrotlet</b> <i>Forpus sclateri</i>                 | 1 |
| <b>Cobalt-winged Parakeet</b> <i>Brotogeris cyanopectus</i>          | 1 |
| <b>Tui Parakeet</b> <i>Brotogeris sanctithomae</i>                   | 1 |
| <b>White-bellied Parrot</b> <i>Pionites leucogaster</i>              | 1 |
| <b>Orange-cheeked Parrot</b> <i>Pionopsitta barrabandi</i>           | 1 |
| <b>Blue-headed Parrot</b> <i>Pionus menstruus</i>                    | 1 |
| <b>Red-billed Parrot</b> <i>Pionus sordidus</i>                      | 2 |
| <b>Speckle-faced Parrot</b> <i>Pionus tumultuosus</i>                | 2 |
| <b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>             | 1 |
| <b>Scaly-naped Parrot</b> <i>Amazona mercenaria</i>                  | 1 |

|  |   |
|--|---|
| <b>Mealy Parrot</b> <i>Amazona farinosa</i>                    | 1 |
| <b>OPISTHOCOMIDAE (HOATZIN)</b>                                |   |
| <b>Hoatzin</b> <i>Opisthocomus hoazin</i>                      | 1 |
| <b>CUCULIDAE (CUCKOOS)</b>                                     |   |
| <b>Dark-billed Cuckoo</b> <i>Coccyzus melacoryphus</i>         | 2 |
| <b>Squirrel Cuckoo</b> <i>Piaya cayana</i>                     | 1 |
| <b>Black-bellied Cuckoo</b> <i>Piaya melanogaster</i>          | 1 |
| <b>Little Cuckoo</b> <i>Piaya minuta</i>                       | 2 |
| <b>Greater Ani</b> <i>Crotophaga major</i>                     | 1 |
| <b>Smooth-billed Ani</b> <i>Crotophaga ani</i>                 | 1 |
| <b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>        | 2 |
| <b>TYTONIDAE (BARN OWLS)</b>                                   |   |
| <b>Barn Owl</b> <i>Tyto alba</i>                               | 3 |
| <b>STRIGIDAE (TYPICAL OWLS)</b>                                |   |
| <b>Rufescent Screech-Owl</b> <i>Megascops ingens</i>           | 1 |
| <b>Tawny-bellied Screech-Owl</b> <i>Megascops watsonii</i>     | 1 |
| <b>Crested Owl</b> <i>Lophotrix cristata</i>                   | 2 |
| <b>Black-banded Owl</b> <i>Ciccaba huhula</i>                  | 2 |
| <b>Amazonian Pygmy-Owl</b> <i>Glaucidium hardyi</i>            | 2 |
| <b>Ferruginous Pygmy-Owl</b> <i>Glaucidium brasilianum</i>     | 1 |
| <b>Andean Pygmy-Owl</b> <i>Glaucidium bolivianum</i>           | 2 |
| <b>NYCTIBIIDAE (POTOOS)</b>                                    |   |
| <b>Great Potoo</b> <i>Nyctibius grandis</i>                    | 1 |
| <b>Long-tailed Potoo</b> <i>Nyctibius aethereus</i>            | 3 |
| <b>Common Potoo</b> <i>Nyctibius griseus</i>                   | 1 |
| <b>CAPRIMULGIDAE (NIGHTJARS)</b>                               |   |
| <b>Sand-colored Nighthawk</b> <i>Chordeiles rupestris</i>      | 1 |
| <b>Common Nighthawk</b> <i>Chordeiles minor</i>                | 3 |
| <b>Common Pauraque</b> <i>Nyctidromus albicollis</i>           | 1 |
| <b>Ocellated Poorwill</b> <i>Nyctiphrynus ocellatus</i>        | 2 |
| <b>Silky-tailed Nightjar</b> <i>Caprimulgus sericocaudatus</i> | 3 |
| <b>Ladder-tailed Nightjar</b> <i>Hydropsalis climacocerca</i>  | 1 |
| <b>Swallow-tailed Nightjar</b> <i>Uropsalis segmentata</i>     | 1 |
| <b>Lyre-tailed Nightjar</b> <i>Uropsalis lyra</i>              | 2 |
| <b>APODIDAE (SWIFTS)</b>                                       |   |
| <b>White-chinned Swift</b> <i>Cypseloides cryptus</i>          | 3 |
| <b>White-chested Swift</b> <i>Cypseloides lemosi</i>           | 3 |
| <b>Chestnut-collared Swift</b> <i>Streptoprocne rutila</i>     | 1 |
| <b>White-collared Swift</b> <i>Streptoprocne zonaris</i>       | 1 |
| <b>Gray-rumped Swift</b> <i>Chaetura cinereiventris</i>        | 1 |

|   |   |
|---|---|
| <b>Pale-rumped Swift</b> <i>Chaetura egregia</i>                | 1 |
| <b>Short-tailed Swift</b> <i>Chaetura brachyura</i>             | 1 |
| <b>White-tipped Swift</b> <i>Aeronautes montivagus</i>          | 1 |
| <b>Andean Swift</b> <i>Aeronautes andecolus</i>                 | 1 |
| <b>Fork-tailed Palm-Swift</b> <i>Tachornis squamata</i>         | 1 |
|   |   |
| <b>Lesser Swallow-tailed Swift</b> <i>Panyptila cayennensis</i> | 1 |
|   |   |
| <b>TROCHILIDAE (HUMMINGBIRDS)</b>                               |   |
| <b>Rufous-breasted Hermit</b> <i>Glaucis hirsutus</i>           | 1 |
| <b>White-browed Hermit</b> <i>Phaethornis stuarti</i>           | 2 |
| <b>White-bearded Hermit</b> <i>Phaethornis hispidus</i>         | 1 |
| <b>Green Hermit</b> <i>Phaethornis guy</i>                      | 1 |
| <b>Koepcke's Hermit</b> <i>Phaethornis koepckeae</i>            | 1 |
| <b>Needle-billed Hermit</b> <i>Phaethornis philippii</i>        | 2 |
| <b>Great-billed Hermit</b> <i>Phaethornis malaris</i>           | 1 |
| <b>Green-fronted Lancebill</b> <i>Doryfera ludovicae</i>        | 2 |
| <b>Gray-breasted Sabrewing</b> <i>Campylopterus largipennis</i> | 1 |
| <b>White-necked Jacobin</b> <i>Florisuga mellivora</i>          | 1 |
| <b>Green Violet-ear</b> <i>Colibri thalassinus</i>              | 1 |
| <b>Sparkling Violet-ear</b> <i>Colibri coruscans</i>            | 1 |
| <b>Black-throated Mango</b> <i>Anthracothorax nigricollis</i>   | 1 |
| <b>Violet-headed Hummingbird</b> <i>Klais guimeti</i>           | 1 |
| <b>Rufous-crested Coquette</b> <i>Lophornis delattrei</i>       | 1 |
| <b>Festive Coquette</b> <i>Lophornis chalybeus</i>              | 3 |
| <b>Wire-crested Thorntail</b> <i>Discosura popelairii</i>       | 1 |
| <b>Black-bellied Thorntail</b> <i>Discosura langsdorffi</i>     | 3 |
| <b>Blue-tailed Emerald</b> <i>Chlorostilbon mellisugus</i>      | 1 |
| <b>Fork-tailed Woodnymph</b> <i>Thalurania furcata</i>          | 1 |
| <b>Golden-tailed Sapphire</b> <i>Chrysuronia oenone</i>         | 1 |
| <b>Many-spotted Hummingbird</b> <i>Taphrospilus hypostictus</i> | 1 |
| <b>White-bellied Hummingbird</b> <i>Amazilia chionogaster</i>   | 1 |
| <b>Green-and-white Hummingbird</b> <i>Amazilia viridicauda</i>  | 1 |
| <b>Amazilia Hummingbird</b> <i>Amazilia amazilia</i>            | 1 |
| <b>Sapphire-spangled Emerald</b> <i>Amazilia lactea</i>         | 2 |
| <b>Speckled Hummingbird</b> <i>Adelomyia melanogenys</i>        | 1 |
| <b>Peruvian Piedtail</b> <i>Phlogophilus harterti</i>           | 2 |
| <b>Gould's Jewelfront</b> <i>Heliodoxa aurescens</i>            | 1 |
| <b>Violet-fronted Brilliant</b> <i>Heliodoxa leadbeateri</i>    | 1 |
| <b>Chestnut-breasted Coronet</b> <i>Boissonneaua matthewsii</i> | 1 |
| <b>Shining Sunbeam</b> <i>Aglaeactis cupripennis</i>            | 2 |
| <b>Andean Hillstar</b> <i>Oreotrochilus estella</i>             | 3 |
|   |   |
| <b>"Gould's" Collared Inca</b> <i>Coeligena torquata inca</i>   | 2 |
| <b>Violet-throated Starfrontlet</b> <i>Coeligena violifer</i>   | 2 |
| <b>Sword-billed Hummingbird</b> <i>Ensifera ensifera</i>        | 2 |
| <b>Mountain Velvetbreast</b> <i>Lafresnaya lafresnayi</i>       | 2 |

|  |   |
|--|---|
| <b>Great Sapphirewing</b> <i>Pterophanes cyanopterus</i>             | 2 |
| <b>Giant Hummingbird</b> <i>Patagona gigas</i>                       | 1 |
| <b>Amethyst-throated Sunangel</b> <i>Heliangelus amethysticollis</i> | 1 |
| <b>Greenish Puffleg</b> <i>Haplophaedia aureliae</i>                 | 3 |
| <b>Booted Racket-tail</b> <i>Ocreatus underwoodii</i>                | 1 |
| <b>Black-tailed Trainbearer</b> <i>Lesbia victoriae</i>              | 2 |
| <b>Green-tailed Trainbearer</b> <i>Lesbia nuna</i>                   | 3 |
| <b>Bearded Mountaineer</b> <i>Oreonympha nobilis</i>                 | 1 |
| <b>Tyrian Metaltail</b> <i>Metallura tyrianthina</i>                 | 1 |
| <b>Scaled Metaltail</b> <i>Metallura aeneocauda</i>                  | 3 |
| <b>Rufous-capped Thornbill</b> <i>Chalcostigma ruficeps</i>          | 2 |
| <b>Long-tailed Sylph</b> <i>Agelaiocercus kingi</i>                  | 1 |
| <b>Wedge-billed Hummingbird</b> <i>Schistes geoffroyi</i>            | 2 |
| <b>Black-eared Fairy</b> <i>Heliothryx auritus</i>                   | 1 |
| <b>Long-billed Starthroat</b> <i>Heliomaster longirostris</i>        | 1 |
| <b>Peruvian Sheartail</b> <i>Thaumastura cora</i>                    | 3 |
| <b>Amethyst Woodstar</b> <i>Calliphlox amethystina</i>               | 3 |
| <b>Short-tailed Woodstar</b> <i>Myrmia micrura</i>                   | 3 |
| <b>White-bellied Woodstar</b> <i>Chaetocercus mulsant</i>            | 1 |
|  |   |
| <b>TROGONIDAE (TROGONS)</b>  |   |
| <b>White-tailed Trogon</b> <i>Trogon viridis</i>                     | 1 |
| <b>Blue-crowned Trogon</b> <i>Trogon curucui</i>                     | 1 |
| <b>Violaceous Trogon</b> <i>Trogon violaceus</i>                     | 1 |
| <b>Collared Trogon</b> <i>Trogon collaris</i>                        | 1 |
| <b>Masked Trogon</b> <i>Trogon personatus</i>                        | 1 |
| <b>Black-tailed Trogon</b> <i>Trogon melanurus</i>                   | 1 |
| <b>Pavonine Quetzal</b> <i>Pharomachrus pavoninus</i>                | 2 |
| <b>Golden-headed Quetzal</b> <i>Pharomachrus auriceps</i>            | 1 |
| <b>Crested Quetzal</b> <i>Pharomachrus antisianus</i>                | 2 |
|  |   |
|  |   |
|  |   |
| <b>ALCEDINIDAE (KINGFISHERS)</b>                                     |   |
| <b>Ringed Kingfisher</b> <i>Megaceryle torquata</i>                  | 1 |
| <b>Amazon Kingfisher</b> <i>Chloroceryle amazona</i>                 | 1 |
| <b>Green Kingfisher</b> <i>Chloroceryle americana</i>                | 1 |
| <b>Green-and-rufous Kingfisher</b> <i>Chloroceryle inda</i>          | 1 |
| <b>American Pygmy Kingfisher</b> <i>Chloroceryle aenea</i>           | 2 |
|  |   |
|  |   |
| <b>MOMOTIDAE (MOTMOTS)</b>   |   |
| <b>Broad-billed Motmot</b> <i>Electron platyrhynchum</i>             | 1 |
| <b>Rufous Motmot</b> <i>Baryphthengus martii</i>                     | 1 |
| <b>Blue-crowned Motmot</b> <i>Momotus momota</i>                     | 1 |
| <b>Highland Motmot</b>   | 1 |
|  |   |
| <b>GALBULIDAE (JACAMARS)</b>   |   |
| <b>Purus Jacamar</b> <i>Galbalcyrhynchus purusianus</i>              | 1 |

|   |   |
|---|---|
| <b>Bluish-fronted Jacamar</b> <i>Galbula cyanescens</i>           | 1 |
| <b>Paradise Jacamar</b> <i>Galbula dea</i>                        | 2 |
| <b>Great Jacamar</b> <i>Jacamerops aureus</i>                     | 1 |
|   |   |
| <b>BUCCONIDAE (PUFFBIRDS)</b>                                     |   |
| <b>White-necked Puffbird</b> <i>Notharchus hyperrhynchus</i>      | 1 |
| <b>Chestnut-capped Puffbird</b> <i>Bucco macrodactylus</i>        | 1 |
| <b>Spotted Puffbird</b> <i>Bucco tamatia</i>                      | 3 |
| <b>Striolated Puffbird</b> <i>Nystalus striolatus</i>             | 1 |
| <b>Semicollared Puffbird</b> <i>Malacoptila semicineta</i>        | 1 |
| <b>Black-streaked Puffbird</b> <i>Malacoptila fulvogularis</i>    | 2 |
| <b>Lanceolated Monklet</b> <i>Micromonacha lanceolata</i>         | 3 |
| <b>Rufous-capped Nunlet</b> <i>Nonnula ruficapilla</i>            | 1 |
| <b>Black-fronted Nunbird</b> <i>Monasa nigrifrons</i>             | 1 |
| <b>White-fronted Nunbird</b> <i>Monasa morphoeus</i>              | 1 |
| <b>Swallow-winged Puffbird</b> <i>Chelidoptera tenebrosa</i>      | 1 |
|   |   |
| <b>CAPITONIDAE (NEW WORLD BARBETS)</b>                            |   |
| <b>Gilded Barbet</b> <i>Capito auratus</i>                        | 1 |
| <b>Lemon-throated Barbet</b> <i>Eubucco richardsoni</i>           | 1 |
|   |   |
|   |   |
| <b>Scarlet-hooded Barbet</b> <i>Eubucco tucinkae</i>              | 2 |
| <b>Versicolored Barbet</b> <i>Eubucco versicolor</i>              | 1 |
|   |   |
| <b>RAMPHASTIDAE (TOUCANS)</b>                                     |   |
| <b>White-throated Toucan</b> <i>Ramphastos tucanus</i>            | 1 |
| <b>Channel-billed Toucan</b> <i>Ramphastos vitellinus</i>         | 1 |
| <b>Emerald Toucanet</b> <i>Aulacorhynchus prasinus</i>            | 1 |
| <b>Chestnut-tipped Toucanet</b> <i>Aulacorhynchus derbianus</i>   | 2 |
| <b>Blue-banded Toucanet</b> <i>Aulacorhynchus coeruleicinctis</i> | 1 |
| <b>Gray-breasted Mountain-Toucan</b> <i>Andigena hypoglauca</i>   | 2 |
| <b>Golden-collared Toucanet</b> <i>Selenidera reinwardtii</i>     | 1 |
| <b>Lettered Aracari</b> <i>Pteroglossus inscriptus</i>            | 1 |
| <b>Ivory-billed Aracari</b> <i>Pteroglossus azara</i>             | 1 |
| <b>Chestnut-eared Aracari</b> <i>Pteroglossus castanotis</i>      | 1 |
| <b>Curl-crested Aracari</b> <i>Pteroglossus beauharnaesii</i>     | 1 |
|   |   |
| <b>PICIDAE (WOODPECKERS)</b>                                      |   |
| <b>Bar-breasted Piculet</b> <i>Picumnus aurifrons</i>             | 1 |
| <b>Ocellated Piculet</b> <i>Picumnus dorbignyanus</i>             | 1 |
| <b>Rufous-breasted Piculet</b> <i>Picumnus rufiventris</i>        | 1 |
| <b>Fine-barred Piculet</b> <i>Picumnus subtilis</i>               | 1 |
| <b>Yellow-tufted Woodpecker</b> <i>Melanerpes cruentatus</i>      | 1 |
| <b>Little Woodpecker</b> <i>Veniliornis passerinus</i>            | 1 |
| <b>Red-stained Woodpecker</b> <i>Veniliornis affinis</i>          | 1 |
| <b>White-throated Woodpecker</b> <i>Piculus leucolaemus</i>       | 3 |
| <b>Golden-green Woodpecker</b> <i>Piculus chrysochloros</i>       | 2 |
| <b>Golden-olive Woodpecker</b> <i>Piculus rubiginosus</i>         | 1 |

|  |   |
|--|---|
| <b>Crimson-mantled Woodpecker</b> <i>Piculus rivolii</i>             | 1 |
| <b>Spot-breasted Woodpecker</b> <i>Colaptes punctigula</i>           | 2 |
| <b>Andean Flicker</b> <i>Colaptes rupicola</i>                       | 1 |
| <b>Scale-breasted Woodpecker</b> <i>Celeus grammicus</i>             | 1 |
| <b>Chestnut Woodpecker</b> <i>Celeus elegans</i>                     | 1 |
| <b>Cream-colored Woodpecker</b> <i>Celeus flavus</i>                 | 1 |
| <b>Ringed Woodpecker</b> <i>Celeus torquatus</i>                     | 2 |
| <b>Rufous-headed Woodpecker</b> <i>Celeus spectabilis</i>            | 3 |
| <b>Lineated Woodpecker</b> <i>Dryocopus lineatus</i>                 | 1 |
|  |   |
|  |   |
| <b>Red-necked Woodpecker</b> <i>Campephilus rubricollis</i>          | 1 |
| <b>Crimson-crested Woodpecker</b> <i>C. melanoleucos</i>             | 1 |
|  |   |
| <b>FURNARIIDAE (OVENBIRDS AND WOODCREEPERS)</b>                      |   |
| <b>Slender-billed Miner</b> <i>Geositta tenuirostris</i>             | 1 |
| <b>Bar-winged Cinclodes</b> <i>Cinclodes fuscus</i>                  | 1 |
| <b>White-winged Cinclodes</b> <i>Cinclodes atacamensis</i>           | 2 |
| <b>Surf Cinclodes</b> <i>Cinclodes taczanowskii</i>                  | 3 |
| <b>Pale-legged Hornero</b> <i>Furnarius leucopus</i>                 | 1 |
| <b>Wren-like Rushbird</b> <i>Phleocryptes melanops</i>               | 1 |
| <b>Puna Thistletail</b> <i>Schizoeaca helleri</i>                    | 1 |
| <b>Azara's Spinetail</b> <i>Synallaxis azarae</i>                    | 1 |
| <b>Dark-breasted Spinetail</b> <i>Synallaxis albigularis</i>         | 1 |
| <b>Cabanis's Spinetail</b> <i>Synallaxis cabanisi</i>                | 1 |
| <b>Plain-crowned Spinetail</b> <i>Synallaxis gujanensis</i>          | 1 |
| <b>Marcapata Spinetail</b> <i>Cranioleuca marcapatae</i>             | 2 |
| <b>Creamy-crested Spinetail</b> <i>Cranioleuca albicapilla</i>       | 1 |
| <b>Ash-browed Spinetail</b> <i>Cranioleuca curtata</i>               | 1 |
| <b>Speckled Spinetail</b> <i>Cranioleuca gutturata</i>               | 2 |
| <b>Plain Softtail</b> <i>Thripophaga fusciceps</i>                   | 2 |
| <b>Rusty-fronted Canastero</b> <i>Asthenes ottonis</i>               | 1 |
| <b>Line-fronted Canastero</b> <i>Asthenes urubambensis</i>           | 2 |
| <b>Scribble-tailed Canastero</b> <i>Asthenes maculicauda</i>         | 2 |
| <b>Streak-fronted Thornbird</b> <i>Phacellodomus striaticeps</i>     | 1 |
| <b>Orange-fronted Plushcrown</b> <i>Metopothrix aurantiaca</i>       | 3 |
| <b>Spotted Barbtail</b> <i>Premnoplex brunnescens</i>                | 1 |
| <b>Pearled Treerunner</b> <i>Margarornis squamiger</i>               | 1 |
| <b>Streaked Tuftedcheek</b> <i>Pseudocolaptes boissonneautii</i>     | 2 |
| <b>Point-tailed Palmcreeper</b> <i>Berlepschia rikeri</i>            | 1 |
| <b>Montane Foliage-gleaner</b> <i>Anabacerthia striaticollis</i>     | 1 |
| <b>Chestnut-winged Hookbill</b> <i>Ancistrops strigilatus</i>        | 1 |
| <b>Striped Woodhaunter</b> <i>Hyloctistes subulatus</i>              | 2 |
| <b>Rufous-tailed Foliage-gleaner</b> <i>Philydor ruficaudatum</i>    | 2 |
| <b>Rufous-rumped Foliage-gleaner</b> <i>Philydor erythrocercum</i>   | 2 |
| <b>Chestnut-winged Foliage-gleaner</b> <i>Philydor erythropterum</i> | 1 |
| <b>Cinnamon-rumped Foliage-gleaner</b> <i>Philydor pyrrhodes</i>     | 2 |
|  |   |
|  |   |

|   |   |
|---|---|
| <b>Dusky-cheeked Foliage-gleaner</b> <i>Anabazenops dorsalis</i>      | 1 |
| <b>Black-billed Treehunter</b> <i>Thripadectes melanorhynchus</i>     | 2 |
| <b>Striped Treehunter</b> <i>Thripadectes holostictus</i>             | 2 |
| <b>Buff-throated Foliage-gleaner</b> <i>Automolus ochrolaemus</i>     | 1 |
| <b>Olive-backed Foliage-gleaner</b> <i>Automolus infuscatus</i>       | 1 |
| <b>Brown-rumped Foliage-gleaner</b> <i>Automolus melanopezus</i>      | 2 |
| <b>Chestnut-crowned Foliage-gleaner</b> <i>Automolus rufipileatus</i> | 1 |
| <b>Black-tailed Leaf-tosser</b> <i>Sclerurus caudacutus</i>           | 1 |
| <b>Rufous-tailed Xenops</b> <i>Xenops milleri</i>                     | 2 |
| <b>Slender-billed Xenops</b> <i>Xenops tenuirostris</i>               | 3 |
| <b>Plain Xenops</b> <i>Xenops minutus</i>                             | 1 |
| <b>Streaked Xenops</b> <i>Xenops rutilans</i>                         | 1 |
| <b>Plain-brown Woodcreeper</b> <i>Dendrocincla fuliginosa</i>         | 1 |
| <b>White-chinned Woodcreeper</b> <i>Dendrocincla merula</i>           | 2 |
| <b>Long-tailed Woodcreeper</b> <i>Deconychura longicauda</i>          | 1 |
| <b>Olivaceous Woodcreeper</b> <i>Sittasomus griseicapillus</i>        | 1 |
| <b>Wedge-billed Woodcreeper</b> <i>Glyphorhynchus spirurus</i>        | 1 |
| <b>Long-billed Woodcreeper</b> <i>Nasica longirostris</i>             | 1 |
| <b>Cinnamon-throated Woodcreeper</b> <i>Dendrexetastes rufigula</i>   | 1 |
| <b>Amazonian Barred-Woodcreeper</b> <i>Dendrocolaptes certhia</i>     | 1 |
| <b>Black-banded Woodcreeper</b> <i>Dendrocolaptes picumnus</i>        | 1 |
| <b>Straight-billed Woodcreeper</b> <i>Xiphorhynchus picus</i>         | 1 |
| <b>Elegant Woodcreeper</b> <i>Xiphorhynchus elegans</i>               | 1 |
| <b>Buff-throated Woodcreeper</b> <i>Xiphorhynchus guttatus</i>        | 1 |
| <b>Olive-backed Woodcreeper</b> <i>Xiphorhynchus triangularis</i>     | 1 |
| <b>Montane Woodcreeper</b> <i>Lepidocolaptes lacrymiger</i>           | 1 |
| <b>Lineated Woodcreeper</b> <i>Lepidocolaptes albolineatus</i>        | 2 |
| <b>Red-billed Scythebill</b> <i>Campylorhamphus trochilirostris</i>   | 1 |
|   |   |
| <b>THAMNOPHILIDAE (ANTBIRDS)</b>                                      |   |
| <b>Fasciated Antshrike</b> <i>Cymbilaimus lineatus</i>                | 1 |
| <b>Bamboo Antshrike</b> <i>Cymbilaimus sanctaemariae</i>              | 1 |
| <b>Great Antshrike</b> <i>Taraba major</i>                            | 1 |
| <b>Barred Antshrike</b> <i>Thamnophilus doliatus</i>                  | 1 |
| <b>Chestnut-backed Antshrike</b> <i>Thamnophilus palliatus</i>        | 1 |
|   |   |
|   |   |
| <b>Uniform Antshrike</b> <i>Thamnophilus unicolor</i>                 | 2 |
| <b>Plain-winged Antshrike</b> <i>Thamnophilus schistaceus</i>         | 1 |
| <b>Variable Antshrike</b> <i>Thamnophilus caerulescens</i>            | 1 |
| <b>Plain Antwren</b> <i>Dysithamnus mentalis</i>                      | 3 |
| <b>Dusky-throated Antshrike</b> <i>Thamnomanes ardesiacus</i>         | 1 |
| <b>Bluish-slate Antshrike</b> <i>Thamnomanes schistogynus</i>         | 1 |
| <b>Spot-winged Antshrike</b> <i>Pygiptila stellaris</i>               | 2 |
| <b>White-eyed Antwren</b> <i>Myrmotherula leucophthalma</i>           | 2 |
| <b>Stipple-throated Antwren</b> <i>Myrmotherula haematonota</i>       | 2 |
| <b>Ornate Antwren</b> <i>Myrmotherula ornata</i>                      | 1 |
| <b>Rufous-tailed Antwren</b> <i>Myrmotherula erythrura</i>            | 3 |
| <b>Pygmy Antwren</b> <i>Myrmotherula brachyura</i>                    | 1 |

|  |   |
|--|---|
| <b>Sclater's Antwren</b> <i>Myrmotherula sclateri</i>                  | 1 |
| <b>Amazonian Streaked-Antwren</b> <i>Myrmotherula multostriata</i>     | 1 |
| <b>Stripe-chested Antwren</b> <i>Myrmotherula longicauda</i>           | 1 |
| <b>Plain-throated Antwren</b> <i>Myrmotherula hauxwelli</i>            | 1 |
| <b>White-flanked Antwren</b> <i>Myrmotherula axillaris</i>             | 1 |
| <b>Slaty Antwren</b> <i>Myrmotherula schisticolor</i>                  | 3 |
| <b>Long-winged Antwren</b> <i>Myrmotherula longipennis</i>             | 1 |
| <b>Gray Antwren</b> <i>Myrmotherula menetriesii</i>                    | 1 |
| <b>Banded Antbird</b> <i>Dichrozona cincta</i>                         | 3 |
| <b>Yellow-breasted Antwren</b> <i>Herpsilochmus axillaris</i>          | 1 |
| <b>Dot-winged Antwren</b> <i>Microrhophias quixensis</i>               | 2 |
| <b>Striated Antbird</b> <i>Drymophila devillei</i>                     | 1 |
| <b>Chestnut-shouldered Antwren</b> <i>Terenura humeralis</i>           | 1 |
| <b>Yellow-rumped Antwren</b> <i>Terenura sharpei</i>                   | 3 |
| <b>Gray Antbird</b> <i>Cercomacra cinerascens</i>                      | 1 |
| <b>Blackish Antbird</b> <i>Cercomacra nigrescens</i>                   | 1 |
| <b>Black Antbird</b> <i>Cercomacra serva</i>                           | 2 |
| <b>Manu Antbird</b> <i>Cercomacra manu</i>                             | 1 |
| <b>White-backed Fire-eye</b> <i>Pyriglena leuconota</i>                | 1 |
| <b>White-browed Antbird</b> <i>Myrmoborus leucophrys</i>               | 1 |
| <b>Black-faced Antbird</b> <i>Myrmoborus myotherinus</i>               | 1 |
| <b>Warbling Antbird</b> <i>Hypocnemis cantator</i>                     | 2 |
| <b>"Yellow-breasted" Warbling Antb.</b> <i>Hypocnemis c.flavescens</i> | 1 |
| <b>Band-tailed Antbird</b> <i>Hypocnemoides maculicauda</i>            | 1 |
|  |   |
|  |   |
| <b>Silvered Antbird</b> <i>Sclateria naevia</i>                        | 1 |
| <b>White-lined Antbird</b> <i>Percnostola lophotes</i>                 | 1 |
| <b>Chestnut-tailed Antbird</b> <i>Myrmeciza hemimelaena</i>            | 1 |
| <b>Black-throated Antbird</b> <i>Myrmeciza atrothorax</i>              | 1 |
| <b>Goeldi's Antbird</b> <i>Myrmeciza goeldii</i>                       | 1 |
| <b>Plumbeous Antbird</b> <i>Myrmeciza hyperythra</i>                   | 1 |
| <b>Sooty Antbird</b> <i>Myrmeciza fortis</i>                           | 1 |
| <b>White-throated Antbird</b> <i>Gymnophithys salvini</i>              | 2 |
| <b>Hairy-crested Antbird</b> <i>Rhegmatorhina melanosticta</i>         | 2 |
| <b>Spot-backed Antbird</b> <i>Hylophylax naevius</i>                   | 2 |
| <b>Black-spotted Bare-eye</b> <i>Phlegopsis nigromaculata</i>          | 1 |
|  |   |
|  |   |
| <b>FORMICARIIDAE (ANTTHRUSHES)</b>                                     |   |
| <b>Rufous-capped Antthrush</b> <i>Formicarius colma</i>                | 1 |
| <b>Black-faced Antthrush</b> <i>Formicarius analis</i>                 | 1 |
| <b>Rufous-fronted Antthrush</b> <i>Formicarius rufifrons</i>           | 3 |
| <b>Rufous-breasted Antthrush</b> <i>Formicarius rufipectus</i>         | 2 |
|  |   |
| <b>GRALLARIIDAE (ANTPITTAS)</b>  |   |
| <b>Undulated Antpitta</b> <i>Grallaria squamigera</i>                  | 3 |
| <b>Scaled Antpitta</b> <i>Grallaria guatemalensis</i>                  | 3 |
| <b>Elusive Antpitta</b> <i>Grallaria eludens</i>                       | 3 |

|  |   |
|--|---|
| <b>White-throated Antpitta</b> <i>Grallaria albigula</i>             | 3 |
| <b>Red-and-white Antpitta</b> <i>Grallaria erythroleuca</i>          | 1 |
| <b>Amazonian Antpitta</b> <i>Hylopezus berlepschi</i>                | 2 |
| <b>Thrush-like Antpitta</b> <i>Myrmothera campanisona</i>            | 1 |
| <b>Ochre-breasted Antpitta</b> <i>Grallarica flavirostris</i>        | 3 |
| <b>CONOPOPHAGIDAE (GNATEATERS)</b>                                   |   |
| <b>Ash-throated Gnateater</b> <i>Conopophaga peruviana</i>           | 3 |
| <b>Slaty Gnateater</b> <i>Conopophaga ardesiaca</i>                  | 2 |
| <b>RHINOCRYPTIDAE (TAPACULOS)</b>                                    |   |
| <b>Rusty-belted Tapaculo</b> <i>Liosceles thoracicus</i>             | 1 |
| <b>Trilling Tapaculo</b> <i>Scytalopus parvirostris</i>              | 1 |
| <b>White-crowned Tapaculo</b> <i>Scytalopus atratus</i>              |   |
| <b>Puna Tapaculo</b> <i>Scytalopus simonsi</i>                       | 2 |
| <b>TYRANNIDAE (TYRANT FLYCATCHERS)</b>                               |   |
| <b>Sclater's Tyrannulet</b> <i>Phyllomyias sclateri</i>              | 1 |
| <b>Ashy-headed Tyrannulet</b> <i>Phyllomyias cinereiceps</i>         | 1 |
| <b>Tawny-rumped Tyrannulet</b> <i>Phyllomyias uropygialis</i>        | 3 |
| <b>Yellow-crowned Tyrannulet</b> <i>Tyrannulus elatus</i>            | 1 |
| <b>Forest Elaenia</b> <i>Myiopagis gaimardii</i>                     | 1 |
| <b>Gray Elaenia</b> <i>Myiopagis caniceps</i>                        | 2 |
| <b>Yellow-bellied Elaenia</b> <i>Elaenia flavogaster</i>             | 1 |
| <b>White-crested Elaenia</b> <i>Elaenia albiceps</i>                 | 2 |
| <b>Mottle-backed Elaenia</b> <i>Elaenia gigas</i>                    | 1 |
| <b>Small-billed Elaenia</b> <i>Elaenia parvirostris</i>              | 3 |
| <b>Lesser Elaenia</b> <i>Elaenia chiriquensis</i>                    | 2 |
| <b>Highland Elaenia</b> <i>Elaenia obscura</i>                       | 2 |
| <b>Sierran Elaenia</b> <i>Elaenia pallatangae</i>                    | 1 |
| <b>White-lored Tyrannulet</b> <i>Ornithion inerme</i>                | 1 |
| <b>Southern Beardless-Tyrannulet</b> <i>Camptostoma obsoletum</i>    | 1 |
| <b>White-tailed Tyrannulet</b> <i>Mecocerculus poecilocercus</i>     | 1 |
| <b>White-banded Tyrannulet</b> <i>Mecocerculus stictopterus</i>      | 2 |
| <b>White-throated Tyrannulet</b> <i>Mecocerculus leucophrys</i>      | 1 |
| <b>Yellow-billed Tit-Tyrant</b> <i>Anairetes flavirostris</i>        | 2 |
| <b>Tufted Tit-Tyrant</b> <i>Anairetes parulus</i>                    | 1 |
| <b>Torrent Tyrannulet</b> <i>Serpophaga cinerea</i>                  | 1 |
| <b>Yellow Tyrannulet</b> <i>Capsiempis flaveola</i>                  | 3 |
| <b>Ringed Antpipit</b> <i>Corythopis torquatus</i>                   | 1 |
| <b>Bolivian Tyrannulet</b> <i>Zimmerius bolivianus</i>               | 1 |
| <b>Red-billed Tyrannulet</b> <i>Zimmerius cinereicapilla</i>         | 2 |
| <b>Slender-footed Tyrannulet</b> <i>Zimmerius gracilipes</i>         | 1 |
| <b>Variegated Bristle-Tyrant</b> <i>Phylloscartes poecilotis</i>     | 3 |
| <b>Marble-faced Bristle-Tyrant</b> <i>Phylloscartes ophthalmicus</i> | 1 |
| <b>Spectacled Bristle-Tyrant</b> <i>Phylloscartes orbitalis</i>      | 3 |
| <b>Mottle-cheeked Tyrannulet</b> <i>Phylloscartes ventralis</i>      | 1 |

|  |   |
|--|---|
| <b>Cinnamon-faced Tyrannulet</b> <i>Phylloscartes parkeri</i>          | 1 |
| <b>Streak-necked Flycatcher</b> <i>Mionectes striaticollis</i>         | 1 |
|  |   |
|  |   |
| <b>Olive-striped Flycatcher</b> <i>Mionectes olivaceus</i>             | 1 |
| <b>Ochre-bellied Flycatcher</b> <i>Mionectes oleagineus</i>            | 1 |
| <b>Sepia-capped Flycatcher</b> <i>Leptopogon amaurocephalus</i>        | 1 |
| <b>Slaty-capped Flycatcher</b> <i>Leptopogon superciliaris</i>         | 1 |
| <b>Inca Flycatcher</b> <i>Leptopogon taczanowskii</i>                  | 2 |
| <b>Ornate Flycatcher</b> <i>Myiobius ornatus</i>                       | 1 |
| <b>Many-colored Rush-Tyrant</b> <i>Tachuris rubrigastra</i>            | 1 |
| <b>Short-tailed Pygmy-Tyrant</b> <i>Myiornis ecaudatus</i>             | 1 |
| <b>Scale-crested Pygmy-Tyrant</b> <i>Lophotriccus pileatus</i>         | 1 |
| <b>Flammulated Pygmy-Tyrant</b> <i>Hemitriccus flammulatus</i>         | 2 |
| <b>White-bellied Tody-Tyrant</b> <i>Hemitriccus griseipectus</i>       | 1 |
| <b>Johannes's Tody-Tyrant</b> <i>Hemitriccus johannis</i>              | 1 |
| <b>Black-throated Tody-Tyrant</b> <i>Hemitriccus granadensis</i>       | 2 |
| <b>White-cheeked Tody-Tyrant</b> <i>Poecilatriccus albifacies</i>      | 3 |
| <b>Ochre-faced Tody-Flycatcher</b> <i>Poecilatriccus plumbeiceps</i>   | 2 |
| <b>Rusty-fronted Tody-Flycatcher</b> <i>Poecilatriccus latirostris</i> | 1 |
| <b>Black-backed Tody-Flycatcher</b> <i>Poecilatriccus pulchellus</i>   | 1 |
| <b>Spotted Tody-Flycatcher</b> <i>Todirostrum maculatum</i>            | 1 |
| <b>Common Tody-Flycatcher</b> <i>Todirostrum cinereum</i>              | 1 |
| <b>Yellow-browed Tody-Flycatcher</b> <i>T. chrysocrotaphum</i>         | 1 |
| <b>Olivaceous Flatbill</b> <i>Rhynchocyclus olivaceus</i>              | 3 |
| <b>Yellow-olive Flycatcher</b> <i>Tolmomyias sulphurescens</i>         | 1 |
| <b>Yellow-margined Flycatcher</b> <i>Tolmomyias assimilis</i>          | 2 |
| <b>Gray-crowned Flycatcher</b> <i>Tolmomyias poliocephalus</i>         | 1 |
| <b>Yellow-breasted Flycatcher</b> <i>Tolmomyias flaviventris</i>       | 1 |
| <b>Golden-crowned Spadebill</b> <i>Platyrinchus coronatus</i>          | 2 |
| <b>White-crested Spadebill</b> <i>Platyrinchus platyrhynchos</i>       | 1 |
| <b>Royal Flycatcher</b> <i>Onychorhynchus coronatus</i>                | 2 |
| <b>Unadorned Flycatcher</b> <i>Myiophobus inornatus</i>                | 3 |
| <b>Handsome Flycatcher</b> <i>Myiophobus pulcher</i>                   | 3 |
| <b>Bran-colored Flycatcher</b> <i>Myiophobus fasciatus</i>             | 1 |
| <b>Tawny-breasted Flycatcher</b> <i>Myiobius villosus</i>              | 3 |
| <b>Ruddy-tailed Flycatcher</b> <i>Terentotriccus erythrurus</i>        | 1 |
| <b>Cinnamon Flycatcher</b> <i>Pyrrhomyias cinnamomeus</i>              | 1 |
| <b>Euler's Flycatcher</b> <i>Lathrotriccus euleri</i>                  | 1 |
| <b>Alder Flycatcher</b> <i>Empidonax alnorum</i>                       | 3 |
|  |   |
|  |   |
| <b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>                  | 3 |
| <b>Smoke-colored Pewee</b> <i>Contopus fumigatus</i>                   | 1 |
| <b>Western Wood-Pewee</b> <i>Contopus sordidulus</i>                   | 3 |
| <b>Eastern Wood-Pewee</b> <i>Contopus virens</i>                       | 3 |
| <b>Olive Flycatcher</b> <i>Mitrephanes olivaceus</i>                   | 3 |
| <b>Black Phoebe</b> <i>Sayornis nigricans</i>                          | 1 |
| <b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>                | 1 |

|   |   |
|---|---|
| <b>Andean Negrito</b> <i>Lessonia oreas</i>                           | 1 |
| <b>White-winged Black-Tyrant</b> <i>Knipolegus aterrimus</i>          | 1 |
| <b>Drab Water-Tyrant</b> <i>Ochthornis littoralis</i>                 | 1 |
| <b>Little Ground-Tyrant</b> <i>Muscisaxicola fluviatilis</i>          | 3 |
| <b>Rufous-naped Ground-Tyrant</b> <i>Muscisaxicola rufivertex</i>     | 1 |
| <b>Black-billed Shrike-Tyrant</b> <i>Agriornis montanus</i>           | 2 |
| <b>Streak-throated Bush-Tyrant</b> <i>Myiotheretes striaticollis</i>  | 2 |
| <b>Rufous-bellied Bush-Tyrant</b> <i>Myiotheretes fusciorufus</i>     | 3 |
| <b>Rufous-webbed Bush-Tyrant</b> <i>Polioxolmis rufipennis</i>        | 2 |
| <b>Chestnut-belted Chat Tyrant</b> <i>Ochthoeca cinnamomeiventris</i> | 1 |
| <b>Rufous-breasted Chat-Tyrant</b> <i>Ochthoeca rufipectoralis</i>    | 1 |
| <b>Brown-backed Chat-Tyrant</b> <i>Ochthoeca fumicolor</i>            | 1 |
| <b>White-browed Chat-Tyrant</b> <i>Ochthoeca leucophrys</i>           | 1 |
| <b>Long-tailed Tyrant</b> <i>Colonia colonus</i>                      | 1 |
| <b>Piratic Flycatcher</b> <i>Legatus leucophaius</i>                  | 1 |
| <b>Rusty-margined Flycatcher</b> <i>Myiozetetes cayanensis</i>        | 1 |
| <b>Social Flycatcher</b> <i>Myiozetetes similis</i>                   | 1 |
| <b>Gray-capped Flycatcher</b> <i>Myiozetetes granadensis</i>          | 1 |
| <b>Dusky-chested Flycatcher</b> <i>Myiozetetes luteiventris</i>       | 2 |
| <b>Great Kiskadee</b> <i>Pitangus sulphuratus</i>                     | 1 |
| <b>Lesser Kiskadee</b> <i>Pitangus lictor</i>                         | 1 |
| <b>Lemon-browed Flycatcher</b> <i>Conopias cinchoneti</i>             | 1 |
| <b>Golden-crowned Flycatcher</b> <i>Myiodynastes chrysocephalus</i>   | 1 |
| <b>Sulphur-bellied Flycatcher</b> <i>Myiodynastes luteiventris</i>    | 3 |
| <b>Streaked Flycatcher</b> <i>Myiodynastes maculatus</i>              | 1 |
| <b>Boat-billed Flycatcher</b> <i>Megarynchus pitangua</i>             | 1 |
| <b>Sulphury Flycatcher</b> <i>Tyrannopsis sulphurea</i>               | 1 |
| <b>Variegated Flycatcher</b> <i>Empidonomus varius</i>                | 2 |
| <b>Crowned Slaty-Flycatcher</b> <i>E. aurantioatrocristatus</i>       | 1 |
|   |   |
|   |   |
| <b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>                | 1 |
| <b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>                  | 3 |
| <b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>                      | 3 |
| <b>Grayish Mourner</b> <i>Rhytipterna simplex</i>                     | 1 |
| <b>Sirystes</b> <i>Sirystes sibilator</i>                             | 1 |
| <b>Dusky-capped Flycatcher</b> <i>Myiarchus tuberculifer</i>          | 1 |
| <b>Swainson's Flycatcher</b> <i>Myiarchus swainsoni</i>               | 2 |
| <b>Short-crested Flycatcher</b> <i>Myiarchus ferox</i>                | 1 |
| <b>Pale-edged Flycatcher</b> <i>Myiarchus cephalotes</i>              | 2 |
| <b>Large-headed Flatbill</b> <i>Ramphotricon megacephalum</i>         | 1 |
| <b>Rufous-tailed Flatbill</b> <i>Ramphotricon ruficauda</i>           | 1 |
| <b>Dusky-tailed Flatbill</b> <i>Ramphotricon fuscicauda</i>           | 1 |
| <b>Dull-capped Attila</b> <i>Attila bolivianus</i>                    | 1 |
| <b>Bright-rumped Attila</b> <i>Attila spadiceus</i>                   | 1 |
|   |   |
| <b>COTINGIDAE (COTINGAS)</b>  |   |
| <b>Red-crested Cotinga</b> <i>Ampelion rubrocristatus</i>             | 2 |
| <b>Barred Fruiteater</b> <i>Pipreola arcuata</i>                      | 2 |

|   |   |
|---|---|
| <b>Masked Fruiteater</b> <i>Pipreola pulchra</i>                  | 2 |
| <b>Andean Cock-of-the-rock</b> <i>Rupicola peruvianus</i>         | 1 |
| <b>Plum-throated Cotinga</b> <i>Cotinga maynana</i>               | 1 |
| <b>Spangled Cotinga</b> <i>Cotinga cayana</i>                     | 2 |
| <b>Screaming Piha</b> <i>Lipaugus vociferans</i>                  | 1 |
| <b>Bare-necked Fruitcrow</b> <i>Gymnoderus foetidus</i>           | 1 |
| <b>Purple-throated Fruitcrow</b> <i>Querula purpurata</i>         | 1 |
| <b>Amazonian Umbrellabird</b> <i>Cephalopterus ornatus</i>        | 2 |
| <b>PIPRIDAE (MANAKINS)</b>  |   |
| <b>Dwarf Tyrant-Manakin</b> <i>Tyrannetes stolzmanni</i>          | 1 |
| <b>Fiery-capped Manakin</b> <i>Machaeropterus pyrocephalus</i>    | 2 |
| <b>Blue-crowned Manakin</b> <i>Lepidothrix coronata</i>           | 1 |
| <b>Cerulean-capped Manakin</b> <i>Lepidothrix coeruleocapilla</i> | 3 |
| <b>White-bearded Manakin</b> <i>Manacus manacus</i>               | 2 |
| <b>Blue-backed Manakin</b> <i>Chiroxiphia pareola</i>             | 1 |
| <b>Yungas Manakin</b> <i>Chiroxiphia boliviana</i>                | 1 |
| <b>Band-tailed Manakin</b> <i>Pipra fasciicauda</i>               | 1 |
| <b>Round-tailed Manakin</b> <i>Pipra chloromeros</i>              |   |
| <b>INCERTAE SEDIS</b>   |   |
| <b>Black-crowned Tityra</b> <i>Tityra inquisitor</i>              | 1 |
| <b>Black-tailed Tityra</b> <i>Tityra cayana</i>                   | 1 |
| <b>Masked Tityra</b> <i>Tityra semifasciata</i>                   | 1 |
| <b>Varzea Schiffornis</b> <i>Schiffornis major</i>                | 2 |
| <b>Cinereous Mourner</b> <i>Laniocera hypopyrra</i>               | 1 |
| <b>Barred Becard</b> <i>Pachyramphus versicolor</i>               | 1 |
| <b>White-winged Becard</b> <i>Pachyramphus polychopterus</i>      | 1 |
| <b>Black-capped Becard</b> <i>Pachyramphus marginatus</i>         | 1 |
| <b>Pink-throated Becard</b> <i>Pachyramphus minor</i>             | 1 |
| <b>Wing-barred Piprites</b> <i>Piprites chloris</i>               | 2 |
| <b>VIREONIDAE (VIREOS)</b>  |   |
| <b>Slaty-capped Shrike-Vireo</b> <i>Vireolanius leucotis</i>      | 2 |
| <b>Brown-capped Vireo</b> <i>Vireo leucophrys</i>                 | 1 |
| <b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>                      | 1 |
| <b>Yellow-green Vireo</b> <i>Vireo flavoviridis</i>               | 3 |
| <b>Dusky-capped Greenlet</b> <i>Hylophilus hypoxanthus</i>        | 1 |
| <b>Tawny-crowned Greenlet</b> <i>Hylophilus ochraceiceps</i>      | 3 |
| <b>CORVIDAE (JAYS)</b>  |   |
| <b>White-collared Jay</b> <i>Cyanolyca viridicyanus</i>           | 2 |
| <b>Violaceous Jay</b> <i>Cyanocorax violaceus</i>                 | 1 |
| <b>Purplish Jay</b> <i>Cyanocorax cyanomelas</i>                  | 1 |
| <b>Green (Inca) Jay</b> <i>Cyanocorax y. yncas</i>                | 1 |
| <b>HIRUNDINIDAE (SWALLOWS)</b>                                    |   |

|  |   |
|--|---|
| <b>White-winged Swallow</b> <i>Tachycineta albiventer</i>        | 1 |
| <b>Brown-chested Martin</b> <i>Progne tapera</i>                 | 1 |
| <b>Purple Martin</b> <i>Progne subis</i>                         | 3 |
| <b>Gray-breasted Martin</b> <i>Progne chalybea</i>               | 1 |
| <b>Blue-and-white Swallow</b> <i>Pygochelidon cyanoleuca</i>     | 1 |
| <b>Brown-bellied Swallow</b> <i>Notiochelidon murina</i>         | 1 |
| <b>Pale-footed Swallow</b> <i>Notiochelidon flavipes</i>         | 2 |
|  |   |
| <b>White-banded Swallow</b> <i>Atticora fasciata</i>             | 1 |
| <b>White-thighed Swallow</b> <i>Neochelidon tibialis</i>         | 2 |
| <b>So. Rough-winged Swallow</b> <i>Stelgidopteryx ruficollis</i> | 1 |
| <b>Bank Swallow</b> <i>Riparia riparia</i>                       | 3 |
| <b>Barn Swallow</b> <i>Hirundo rustica</i>                       | 2 |
| <b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>             | 3 |
|  |   |
| <b>TROGLODYTIDAE (WRENS)</b>                                     |   |
| <b>Scaly-breasted Wren</b> <i>Microcerculus marginatus</i>       | 1 |
| <b>Gray-mantled Wren</b> <i>Odontorchilus branickii</i>          | 2 |
| <b>House Wren</b> <i>Troglodytes aedon</i>                       | 1 |
| <b>Mountain Wren</b> <i>Troglodytes solstitialis</i>             | 1 |
| <b>Sedge Wren</b> <i>Cistothorus platensis</i>                   | 1 |
| <b>Thrush-like Wren</b> <i>Campylorhynchus turdinus</i>          | 1 |
| <b>Inca Wren</b> <i>Thryothorus eisenmanni</i>                   | 1 |
| <b>Moustached Wren</b> <i>Thryothorus genibarbis</i>             | 1 |
| <b>Buff-breasted Wren</b> <i>Thryothorus leucotis</i>            | 1 |
| <b>Fulvous Wren</b> <i>Cinnycerthia fulva</i>                    | 2 |
| <b>Gray-breasted Wood-Wren</b> <i>Henicorhina leucophrys</i>     | 1 |
| <b>Chestnut-breasted Wren</b> <i>Cyphorhinus thoracicus</i>      | 2 |
| <b>Musician Wren</b> <i>Cyphorhinus arada</i>                    | 1 |
|  |   |
| <b>INCERTAE SEDIS</b>  |   |
| <b>Black-capped Donacobius</b> <i>Donacobius atricapilla</i>     | 1 |
|  |   |
| <b>CINCLIDAE (DIPPERS)</b>                                       |   |
| <b>White-capped Dipper</b> <i>Cinclus leucocephalus</i>          | 1 |
|  |   |
| <b>TURDIDAE (THRUSHES)</b>                                       |   |
| <b>Andean Solitaire</b> <i>Myadestes ralloides</i>               | 1 |
| <b>Spotted Nightingale-Thrush</b> <i>Catharus dryas</i>          | 3 |
| <b>Swainson's Thrush</b> <i>Catharus ustulatus</i>               | 3 |
| <b>White-eared Solitaire</b> <i>Entomodestes leucotis</i>        | 2 |
| <b>Pale-eyed Thrush</b> <i>Platycichla leucops</i>               | 2 |
| <b>Great Thrush</b> <i>Turdus fuscater</i>                       | 1 |
| <b>Chiguanco Thrush</b> <i>Turdus chiguanco</i>                  | 1 |
|  |   |
| <b>Glossy-black Thrush</b> <i>Turdus serranus</i>                | 1 |
| <b>Black-billed Thrush</b> <i>Turdus ignobilis</i>               | 1 |

|   |   |
|---|---|
| Lawrence's Thrush <i>Turdus lawrencii</i>                             | 1 |
| Hauxwell's Thrush <i>Turdus hauxwelli</i>                             | 1 |
| White-necked Robin <i>Turdus albicollis</i>                           | 1 |
|   |   |
| <b>MIMIDAE (MOCKINGBIRDS AND THRASHERS)</b>                           |   |
| Long-tailed Mockingbird <i>Mimus longicaudatus</i>                    | 2 |
|   |   |
| <b>MOTACILLIDAE (WAGTAILS AND PIPITS)</b>                             |   |
| Paramo Pipit <i>Anthus bogotensis</i>                                 | 2 |
|   |   |
| <b>THRAUPIDAE (TANAGERS)</b>  |   |
| Black-faced Tanager <i>Schistochlamys melanopis</i>                   | 2 |
| Magpie Tanager <i>Cissopis leverianus</i>                             | 1 |
| Red-billed Pied Tanager <i>Lamprospiza melanoleuca</i>                | 3 |
| Hooded Tanager <i>Nemosia pileata</i>                                 | 2 |
| Slaty Tanager <i>Creurgops dentatus</i>                               | 1 |
| Black-capped Hemispingus <i>Hemispingus atropileus</i>                | 1 |
| Superciliaried Hemispingus <i>Hemispingus superciliaris</i>           | 1 |
| Oleaginous Hemispingus <i>Hemispingus frontalis</i>                   | 2 |
| Black-eared Hemispingus <i>Hemispingus melanotis</i>                  | 1 |
| Drab Hemispingus <i>Hemispingus xanthophthalmus</i>                   | 3 |
| Three-striped Hemispingus <i>Hemispingus trifasciatus</i>             | 3 |
| Rufous-chested Tanager <i>Thlypopsis ornata</i>                       | 3 |
| Rust-and-yellow Tanager <i>Thlypopsis ruficeps</i>                    | 1 |
| Black-goggled Tanager <i>Trichothraupis melanops</i>                  | 2 |
| Flame-crested Tanager <i>Tachyphonus cristatus</i>                    | 2 |
| Yellow-crested Tanager <i>Tachyphonus rufiventer</i>                  | 1 |
| White-shouldered Tanager <i>Tachyphonus luctuosus</i>                 | 1 |
| White-winged Shrike-Tanager <i>Lanio versicolor</i>                   | 1 |
| Masked Crimson Tanager <i>Ramphocelus nigrogularis</i>                | 1 |
| Silver-beaked Tanager <i>Ramphocelus carbo</i>                        | 1 |
| Blue-gray Tanager <i>Thraupis episcopus</i>                           | 1 |
| Palm Tanager <i>Thraupis palmarum</i>                                 | 1 |
| Blue-capped Tanager <i>Thraupis cyanocephala</i>                      | 1 |
|   |   |
|   |   |
| Blue-and-yellow Tanager <i>Thraupis bonariensis</i>                   | 1 |
| Hooded Mountain-Tanager <i>Buthraupis montana</i>                     | 1 |
| Scarlet-bellied Mountain-Tanager <i>Anisognathus igniventris</i>      | 1 |
| Blue-winged Mountain-Tanager <i>Anisognathus somptuosus</i>           | 2 |
| Grass-green Tanager <i>Chlorornis riefferii</i>                       | 2 |
| Chestnut-bellied Mountain-Tanager <i>Delothraupis castaneoventris</i> | 2 |
| Yellow-throated Tanager <i>Iridosornis analis</i>                     | 1 |
| Golden-collared Tanager <i>Iridosornis jelskii</i>                    | 2 |
| Fawn-breasted Tanager <i>Pipraeidea melanonota</i>                    | 1 |
| Orange-eared Tanager <i>Chlorochrysa calliparaea</i>                  | 1 |
| Turquoise Tanager <i>Tangara mexicana</i>                             | 1 |
| Paradise Tanager <i>Tangara chilensis</i>                             | 1 |
| Green-and-gold Tanager <i>Tangara schrankii</i>                       | 1 |

|   |   |
|---|---|
| <b>Golden Tanager</b> <i>Tangara arthus</i>                           | 1 |
| <b>Saffron-crowned Tanager</b> <i>Tangara xanthocephala</i>           | 1 |
| <b>Golden-eared Tanager</b> <i>Tangara chrysotis</i>                  | 1 |
| <b>Flame-faced Tanager</b> <i>Tangara parzudakii</i>                  | 3 |
| <b>Yellow-bellied Tanager</b> <i>Tangara xanthogastra</i>             | 1 |
| <b>Spotted Tanager</b> <i>Tangara punctata</i>                        | 1 |
| <b>Bay-headed Tanager</b> <i>Tangara gyrola</i>                       | 1 |
| <b>Golden-naped Tanager</b> <i>Tangara ruficervix</i>                 | 1 |
| <b>Blue-necked Tanager</b> <i>Tangara cyanicollis</i>                 | 1 |
| <b>Masked Tanager</b> <i>Tangara nigrocincta</i>                      | 2 |
| <b>Beryl-spangled Tanager</b> <i>Tangara nigroviridis</i>             | 1 |
| <b>Blue-and-black Tanager</b> <i>Tangara vassorii</i>                 | 2 |
| <b>Silvery Tanager</b> <i>Tangara viridicollis</i>                    | 1 |
| <b>Opal-rumped Tanager</b> <i>Tangara velia</i>                       | 1 |
| <b>Opal-crowned Tanager</b> <i>Tangara callophrys</i>                 | 1 |
| <b>Swallow Tanager</b> <i>Tersina viridis</i>                         | 1 |
| <b>Black-faced Dacnis</b> <i>Dacnis lineata</i>                       | 1 |
| <b>Yellow-bellied Dacnis</b> <i>Dacnis flaviventer</i>                | 1 |
| <b>Blue Dacnis</b> <i>Dacnis cayana</i>                               | 1 |
| <b>Purple Honeycreeper</b> <i>Cyanerpes caeruleus</i>                 | 1 |
| <b>Green Honeycreeper</b> <i>Chlorophanes spiza</i>                   | 1 |
| <b>Guira Tanager</b> <i>Hemithraupis guira</i>                        | 2 |
| <b>Yellow-backed Tanager</b> <i>Hemithraupis flavicollis</i>          | 2 |
|   |   |
|   |   |
| <b>Chestnut-vented Conebill</b> <i>Conirostrum speciosum</i>          | 2 |
| <b>Cinereous Conebill</b> <i>Conirostrum cinereum</i>                 | 1 |
| <b>Blue-backed Conebill</b> <i>Conirostrum sitticolor</i>             | 1 |
| <b>Capped Conebill</b> <i>Conirostrum albifrons</i>                   | 1 |
| <b>White-browed Conebill</b> <i>Conirostrum ferrugineiventris</i>     | 2 |
| <b>Rusty Flowerpiercer</b> <i>Diglossa sittoides</i>                  | 1 |
| <b>Moustached Flowerpiercer</b> <i>Diglossa mystacalis</i>            | 1 |
| <b>Black-throated Flowerpiercer</b> <i>Diglossa brunneiventris</i>    | 1 |
| <b>Deep-blue Flowerpiercer</b> <i>Diglossa glauca</i>                 | 2 |
| <b>Bluish Flowerpiercer</b> <i>Diglossa caeruleascens</i>             | 2 |
| <b>Masked Flowerpiercer</b> <i>Diglossa cyanea</i>                    | 1 |
|   |   |
| <b>INCERTAE SEDIS</b>   |   |
| <b>Common Bush-Tanager</b> <i>Chlorospingus ophthalmicus</i>          | 1 |
| <b>Short-billed Bush-Tanager</b> <i>Chlorospingus parvirostris</i>    | 2 |
| <b>Yellow-throated Bush-Tanager</b> <i>Chlorospingus flavigularis</i> | 1 |
| <b>Hepatic Tanager</b> <i>Piranga flava</i>                           | 1 |
| <b>Summer Tanager</b> <i>Piranga rubra</i>                            | 3 |
| <b>Scarlet Tanager</b> <i>Piranga olivacea</i>                        | 3 |
| <b>White-winged Tanager</b> <i>Piranga leucoptera</i>                 | 2 |
| <b>Olive Tanager</b> <i>Chlorothraupis carmioli</i>                   | 3 |
| <b>Red-crowned Ant-Tanager</b> <i>Habia rubica</i>                    | 1 |
| <b>Bananaquit</b> <i>Coereba flaveola</i>                             | 1 |
| <b>Manu mystery yellow bird</b> <i>sp. nov.</i>                       | 3 |

|  |   |
|--|---|
|  |   |
| <b>EMBERIZIDAE (NEW WORLD SPARROWS AND BUNTINGS)</b>         |   |
| Rufous-collared Sparrow <i>Zonotrichia capensis</i>          | 1 |
| Grassland Sparrow <i>Ammodramus humeralis</i>                | 1 |
| Yellow-browed Sparrow <i>Ammodramus aurifrons</i>            | 1 |
| Peruvian Sierra-Finch <i>Phrygilus punensis</i>              | 1 |
| Mourning Sierra-Finch <i>Phrygilus fruticeti</i>             | 1 |
| Ash-breasted Sierra-Finch <i>Phrygilus plebejus</i>          | 1 |
| Band-tailed Sierra-Finch <i>Phrygilus alaudinus</i>          | 2 |
| Chestnut-breasted Mountain-Finch <i>Poospiza caesar</i>      | 1 |
| Greenish Yellow-Finch <i>Sicalis olivascens</i>              | 1 |
| Saffron Finch <i>Sicalis flaveola</i>                        | 2 |
|  |   |
|  |   |
| Grassland Yellow-Finch <i>Sicalis luteola</i>                | 2 |
| Dull-colored Grassquit <i>Tiarias obscura</i>                | 1 |
| Blue-black Grassquit <i>Volatinia jacarina</i>               | 1 |
| Slate-colored Seedeater <i>Sporophila schistacea</i>         | 3 |
| Variable Seedeater <i>Sporophila corvina</i>                 | 2 |
| Black-and-white Seedeater <i>Sporophila luctuosa</i>         | 2 |
| Yellow-bellied Seedeater <i>Sporophila nigricollis</i>       | 1 |
| Double-collared Seedeater <i>Sporophila caerulescens</i>     | 1 |
| Chestnut-bellied Seedeater <i>Sporophila castaneiventris</i> | 1 |
| Chestnut-bellied Seed-Finch <i>Oryzoborus angolensis</i>     | 1 |
| Black-billed Seed-Finch <i>Oryzoborus atrirostris</i>        | 1 |
| Band-tailed Seedeater <i>Catamenia analis</i>                | 1 |
| Plain-colored Seedeater <i>Catamenia inornata</i>            | 1 |
| Pectoral Sparrow <i>Arremon taciturnus</i>                   | 1 |
| Chestnut-capped Brush-Finch <i>Buarremon brunneinucha</i>    | 1 |
| Tricolored Brush-Finch <i>Atlapetes tricolor</i>             | 2 |
| Black-faced Brush-Finch <i>Atlapetes melanoaemus</i>         | 1 |
| Red-capped Cardinal <i>Paroaria gularis</i>                  | 1 |
|  |   |
| <b>CARDINALIDAE (CARDINAL GROSBEAKS)</b>                     |   |
| Golden-bellied Grosbeak <i>Pheucticus chrysogaster</i>       | 1 |
| Black-backed Grosbeak <i>Pheucticus aureoventris</i>         | 2 |
| Yellow-shouldered Grosbeak <i>Parkerthraustes humeralis</i>  | 2 |
| Slate-colored Grosbeak <i>Saltator grossus</i>               | 1 |
| Buff-throated Saltator <i>Saltator maximus</i>               | 1 |
| Grayish Saltator <i>Saltator coerulescens</i>                | 1 |
| Golden-billed Saltator <i>Saltator aurantirostris</i>        | 1 |
| Blue-black Grosbeak <i>Cyanocompsa cyanoides</i>             | 1 |
|  |   |
| <b>PARULIDAE (WOOD-WARBLERS)</b>                             |   |
| Tropical Parula <i>Parula pitiayumi</i>                      | 1 |
| Slate-throated Redstart <i>Myioborus miniatus</i>            | 1 |
| Spectacled Redstart <i>Myioborus melanocephalus</i>          | 1 |
| Two-banded Warbler <i>Basileuterus bivittatus</i>            | 1 |
| Golden-bellied Warbler <i>Basileuterus chrysogaster</i>      | 1 |

|   |    |
|---|----|
| <b>Citrine Warbler</b> <i>Basileuterus luteoviridis</i>         | 1  |
|   |    |
| <b>Pale-legged Warbler</b> <i>Basileuterus signatus</i>         | 1  |
| <b>Russet-crowned Warbler</b> <i>Basileuterus coronatus</i>     | 1  |
| <b>Three-striped Warbler</b> <i>Basileuterus tristriatus</i>    | 1  |
| <b>Buff-rumped Warbler</b> <i>Phaeothlypis fulvicauda</i>       | 1  |
|   |    |
| <b>ICTERIDAE (NEW WORLD BLACKBIRDS)</b>                         |    |
| <b>Russet-backed Oropendola</b> <i>Psarocolius angustifrons</i> | 1  |
| <b>Dusky-green Oropendola</b> <i>Psarocolius atrovirens</i>     | 1  |
| <b>Crested Oropendola</b> <i>Psarocolius decumanus</i>          | 1  |
| <b>Olive Oropendola</b> <i>Psarocolius bifasciatus</i>          | 1  |
| <b>Casqued Oropendola</b> <i>Clypicterus oseryi</i>             | 1  |
| <b>Mountain Cacique</b> <i>Cacicus chrysonotus</i>              | 11 |
| <b>Solitary Black Cacique</b> <i>Cacicus solitarius</i>         | 1  |
| <b>Yellow-rumped Cacique</b> <i>Cacicus cela</i>                | 1  |
| <b>Yellow-billed Cacique</b> <i>Amblycercus holosericeus</i>    | 3  |
| <b>Troupial</b> <i>Icterus icterus</i>                          | 1  |
| <b>Epaulet Oriole</b> <i>Icterus cayanensis</i>                 | 1  |
| <b>Pale-eyed Blackbird</b> <i>Agelasticus xanthophthalmus</i>   | 1  |
| <b>Yellow-winged Blackbird</b> <i>Agelasticus thilius</i>       | 1  |
| <b>Giant Cowbird</b> <i>Molothrus oryzivorus</i>                | 1  |
| <b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>               | 1  |
| <b>Red-breasted Blackbird</b> <i>Sturnella militaris</i>        | 1  |
| <b>Peruvian Meadowlark</b> <i>Sturnella bellicosa</i>           | 1  |
|   |    |
| <b>FRINGILLIDAE (FINCHES)</b>                                   |    |
| <b>Hooded Siskin</b> <i>Carduelis magellanica</i>               | 1  |
| <b>Olivaceous Siskin</b> <i>Carduelis olivacea</i>              | 1  |
| <b>Thick-billed Euphonia</b> <i>Euphonia laniirostris</i>       | 1  |
| <b>Golden-rumped Euphonia</b> <i>Euphonia cyanocephala</i>      | 2  |
| <b>Golden-bellied Euphonia</b> <i>Euphonia chrysopasta</i>      | 1  |
| <b>Bronze-green Euphonia</b> <i>Euphonia mesochrysa</i>         | 1  |
| <b>White-vented Euphonia</b> <i>Euphonia minuta</i>             | 2  |
| <b>Orange-bellied Euphonia</b> <i>Euphonia xanthogaster</i>     | 1  |
| <b>Rufous-bellied Euphonia</b> <i>Euphonia rufiventris</i>      | 1  |
| <b>Blue-naped Chlorophonia</b> <i>Chlorophonia cyanea</i>       | 2  |
|   |    |
|   |    |
|   |    |
| <b>PASSERIDAE (OLD WORLD SPARROWS)</b>                          |    |
| <b>House Sparrow</b> <i>Passer domesticus</i>                   | 1  |